


**APEX**  
PROJECTS



*TRAIN AS YOU FIGHT*

*FIGHT AS YOU TRAIN*



# ALWAYS READY

The SHARKCAGE enables seamless transition through storage, transport, operation and retrograde. Operate out of the SHARKCAGE on the installation and during training, and when deployed, without changing the SOP.

Secure the cage with standard padlocks and load the SHARKCAGE directly into any available transport platform in minutes with

minimal need for dunnage. When receiving and signing for the SHARKCAGE, trust content integrity by verifying the lock or seal. Designed to accommodate all military strategic lift assets, land-sea-air, as well as intermodal transport.

The SHARKCAGE will increase flexibility across the entire supply chain.



# MOBILITY



## TOPLIFT

Reinforced corner posts and connection points to accommodate crane, helicopter lift and UNREP according to MIL-STD-913A, -209K and -648D. Weld seams inspected according to RCX-3 to ensure safety.



## LAND-SEA-AIR

Strong enough for all modes of strategic transport, designed according to MIL-STD-1791D, -1366E and STANAG-3400.



## INTERMODAL

Transition seamlessly from one mode of transport to the next according to the definition in MIL-STD-3028.



## FORKLIFT


4-way forklift capability compatible with most pallet jacks and forklifts. Designed to fulfill both the STANAG-2828 and 2829, as well as MIL-STD-648D, to ensure operability in joint operations.



## MINIMAL DUNNAGE

Secured in containers with minimal, if any, need for wooden bracing.

▲ FEATURES SHARED BY ALL SHARKCAGES ▼



# FLEXIBILITY




## MOVABLE

Rearrange the warehouse without emptying the cages.



## STACKABLE

Self-centering corners to ensure safety and efficiency in stacking.



## ADJUSTABLE

Adjust shelves to the desired position without tools.



## NO TOOLS

No tools required for assembly, disassembly or reconfiguring of shelf positions.



## CONTENT VISIBILITY

See-through grid enables content visibility at all times. Covers available to temporarily limit visibility.

▲ FEATURES SHARED BY ALL SHARKCAGES ▼



# SECURITY



## LOCKABLE

Lock using standard issue series 5200 padlocks.



## PROTECT

Prevent content from shifting during transport by utilizing strapping points on the inside of the cage and simplify compliance with MIL-HDBK-701.



## SAFETY

Increased handling safety for personnel as content is constrained, even if dropped or tipped.



## DURABLE

Extra high-strength steel and hot-dip galvanization to withstand any type of climate, handling or even fire.



## ANTI-SPARKING

Hot-dip galvanization completely removes risk of sparks from metal-to-metal contact.



# PRODUCTS


10 // CAGES

16 // BOXES

18 // ACCESSORIES




ORIGINAL P 13



WHEEL CAGES P 14



TACTICAL LOCKERS P 10



TACTICAL BASKETS P 12

	S	M	L	XL	XXL	i90	CWL ÷	CWL	CWXL
	SIZE: (WxDxH) [in] 52"x42"x65"	SIZE: (WxDxH) [in] 70"x41"x79"	SIZE: (WxDxH) [in] 84"x43"x85"	SIZE: (WxDxH) [in] 84"x52"x85"	SIZE: (WxDxH) [in] 104"x42"x85"	SIZE: (WxDxH) [in] 49"x39"x79"	SIZE: (WxDxH) [in] 55"x30"x83"	SIZE: (WxDxH) [in] 57"x30"x85"	SIZE: (WxDxH) [in] 77"x30"x86"
	SHOWN IN: QUADCON	SHOWN IN: TRICON	SHOWN IN: 20 FT	SHOWN ON: 463L-Airpallet	SHOWN ON: 463L-Airpallet	SHOWN IN: ISU-90	SHOWN IN: 10 FT	SHOWN IN: 20 FT	SHOWN IN: 20 FT
PLATFORMS	PLATFORM UTILIZATION	PLATFORM UTILIZATION	PLATFORM UTILIZATION	PLATFORM UTILIZATION	PLATFORM UTILIZATION	PLATFORM UTILIZATION	PLATFORM UTILIZATION	PLATFORM UTILIZATION	PLATFORM UTILIZATION
40 FT									
20 FT									
TRICON II									
QUADCON II USMC									
ISU-90									
463L Air Pallet									

\*The height of some products may deviate from the standards shown on this page.





DESCRIPTION

The TACTICAL LOCKER has double doors secured by one standard padlock. The unique design ensures high capacity to weight ratio and maximum internal to external volume.

Shelves can be taken out and the cage has multiple shelf positions.

SUITABLE FOR

Everyday access to tools, spare parts, dive gear and supplies with the possibility for securing the equipment quickly.



TACTICAL LOCKER SMALL

NSN: 8145-01-512-1023, PC: SC-TL-SM-2D-02


Size (W/D/H) 52/42/65 [in] | 132/106/165 [cm]  
Weight 565lbs | 260kg  
Capacity 5000lbs | 2500kg  
Stackable Three high, Shelves Four levels



TACTICAL LOCKER i90

NSN: 8145-01-512-1025, PC:SC-TL-90-2D-02

Size (W/D/H) 49/39/79 [in] | 125/100/200 [cm]  
Weight 500lbs | 225kg  
Capacity 4000lbs | 2000 kg  
Stackable Two high, Shelves Four levels



TACTICAL LOCKER CWL

NSN: 8145-01-499-0723 | PC:SC-TL-WL-2D-03

Size (W/D/H) 57/30/85 [in] | 145/75/216 [cm]  
Weight 475lbs | 215kg  
Capacity 4000lbs | 2000kg  
Stackable Two high, Shelves Three levels



TACTICAL LOCKER MEDIUM

NSN: 8145-01-512-0901, PC:SC-TL-MD-2D-03

Size (W/D/H) 70/41/79 [in] | 178/105/200 [cm]  
Weight 900lbs | 410kg  
Capacity 5000lbs | 2500kg  
Stackable Two high, Shelves Three levels



DESCRIPTION

The TACTICAL LOCKER FP has three detachable front panels which can be secured by one standard padlock each. The possibility to easily detach the panels when stationary makes it easy to access the content when space is limited.

Often used inside a container with our blocking and bracing system, which enables access to all the contents of a container without emptying it.

Shelves can be taken out and the cage has multiple shelf positions.

SUITABLE FOR


Storage inside containers, when aisle space is limited, or when it is more convenient to be able to take the panels off completely.



TACTICAL LOCKER FP CWL-

PC:SC-CW-WW-3F-03

Size (W/D/H) 55/30/83 [in] | 140/75/210 [cm]  
Weight 450lbs | 200kg  
Capacity 4000lbs | 2000kg  
Stackable Two high, Shelves Three levels



TACTICAL LOCKER FP CWXL

NSN: 8145-01-512-1019 | PC:SC-TL-XL-3F-03

Size (W/D/H) 76/30/86 [in] | 194/75/218 [cm]  
Weight 625lbs | 275kg  
Capacity 4000lbs | 2000kg  
Stackable Two high, Shelves Three levels







DESCRIPTION

The TACTICAL BASKET has a gas spring assisted top lid and a detachable front gate that are secured with one standard padlock. Several accessories including dividers and hangers are available.

The gate can be used to roll tents or covers into the cage, or to simplify walking into the cage when stacking equipment.

The HALF GATE (HG) version, has a gate which folds down. This makes it easier to access equipment inside the cage, especially if it is stacked. This gate is not detachable.

SUITABLE FOR


Covers, tents or parachutes.



TACTICAL BASKET HG MEDIUM

NSN: 8145-01-512-0918, PC:SC-BA-MD-HG-01

Size (W/D/H) 70/41/39 [in] | 180/105/1000 [cm]  
Weight 450lbs | 200kg  
Capacity 4000lbs | 2000kg  
Stackable Four high, Dividers are accessory



TACTICAL BASKET XL

NSN: 8145-01-499-0718, PC:SC-BA-XL-GT-01

Size (W/D/H) 84/52/43 [in] | 213/132/110 [cm]  
Weight 660lbs | 300kg  
Capacity 4000lbs | 2000kg  
Stackable Four high, Dividers are accessory



DESCRIPTION

THE ORIGINAL has a collapsible design, which can be assembled and dissassembled without tools. It has panels on both sides that are detached for accessing equipment in the cage. Each panel is locked individually with a standard padlock. The cage has multiple shelf positions.

SUITABLE FOR


Contingency and ammunition storage, deployment and container management.



ORIGINAL SMALL

NSN: 8145-01-512-1022, PC: SC-ST-IF-3P-02


Size (W/D/H) 52/42/62 [in] | 132/106/158 [cm]  
Weight 600lbs | 270kg  
Capacity 5000lbs | 2500kg  
Stackable Three high, Shelves Three levels



ORIGINAL MEDIUM

NSN: 8145-01-562-0607, PC: SC-CI-MD-3P-02

Size (W/D/H) 70/41/79 [in] | 178/104/200 [cm]  
Weight 650lbs | 290kg  
Capacity 5000lbs | 2500kg  
Stackable Two high, Shelves Three levels



ORIGINAL LARGE

NSN: 8145-01-512-0923, PC: SC-CI-LG-4P-02

Size (W/D/H) 84/43/85 [in] | 213/110/216 [cm]  
Weight 960lbs | 440kg  
Capacity 5000lbs | 2500kg  
Stackable Two high, Shelves Four levels




ORIGINAL XXL

NSN: 8145-01-586-0404, PC: SC-CI-XX-4P-02

Size (W/D/H) 104/42/85 [in] | 265/107/216 [cm]  
Weight 1300lbs | 590kg  
Capacity 5000lbs | 2500kg  
Stackable Two high, Shelves Four levels








DESCRIPTION

The Wheel Storage and Transport (WST) I fits up to 6 ea HMMWV wheel assemblies while stacking two-high in a 20ft container, increasing the capacity of a 20ft container to 60 ea HMMWV wheel assemblies. The pivoting front gate, secured by two standard cargo straps, and adjustable side walls, enable fit for most military wheels. We have developed an extender (SC-WS-LG-GT-61) for the largest wheels, of 52" and up.

SUITABLE FOR

Units and warehouses that store and deploy with large amounts of wheels. Enable compliance with vertical stacking requirement. Fits wheels up to 51" tall. With extenders (accessory), WST I fits wheels up to 74" tall



### WHEEL STORAGE AND TRANSPORT (WST) I


**NSN: 8145-01-586-0408, PC: SC-WS-LG-GT-01**

**Size (W/D/H)** 89/45/59\* [in] | 226/115/150 [cm]


**Weight** 460lbs | 210kg

**Capacity** 4000lbs | 2000kg


\*Adjustable height based on wheel size




20 FT



463L



PLS




DESCRIPTION

The WST III secures the wheels by lowering the entire top construction to lock the wheels in place for transport. The front gate slams shut and can be used to secure the wheels in storage for easier access. The top plate protects wheels from rain and sun, and creates additional storage space. The WST III has a welded-in tire separator so that it is safer to store one wheel inside.

SUITABLE FOR

Storage and transportation of two large wheels from 35" to 49" in diameter, 17" wide and 2000 lbs each. Designed to accommodate aircraft and MRAP wheels, but also fits other wheels.



### WHEEL STORAGE AND TRANSPORT (WST) III


**PC: SC-WS-HD-TP-80**

**Size (W/D/H)** 44/55/67\* [in] | 110/140/170 [cm]


**Weight** 460lbs | 210kg

**Capacity** 4000lbs | 2000kg


\*Adjustable height based on wheel size



20 FT



463L



PLS



DESCRIPTION

STACK RACK has two detachable end walls and detachable pallet stoppers in the back. It is assembled in seconds. Accommodates two pallets side by side, with ample room for slack. Collapsible to a height of 12", making it possible to fit 28 ea flat packed into a 20ft container and 72 ea into a 40ft container.

The STACK RACK comes with standard hot-dip-galvanizing, like our other cages, but can be painted with red horizontally and blue vertically for increased safety in the warehouse.

Add a gridded back wall to prevent loose items falling off the back.

SUITABLE FOR

Temporary and deployed warehouses, but standard warehouses could also benefit from the flexibility of the STACK RACK.

Accommodates EURO pallets, US military standard pallets and most other common pallets in the US.



### STACK RACK XXL

**PC: TX-SR-XX-ST-01**

**Size (W/D/H)** 115/44/56 [in] | 293/113/143 [cm]

**Weight** 350lbs | 150kg

**Capacity** 4000lbs | 2000kg

**Stackable** Four high



### STACK RACK XXL GRID BACK WALL

**PC: TX-SR-XX-ST-22**

**Size** Fits the STACK RACK XXL

**Weight** 50lbs | 22kg

**Description** Assemble without tools. It will not fit inside the standard flatpack of the cage.



### STACK RACK XXL RED AND BLUE PAINT

**Weight** 7lbs | 3kg

**Description** Red horizontally and blue vertically. Paint added on top of the galvanization for same corrosion resistance as our other cages.







### POB 6

PC: PB-60-40-06-02

Size (W/D/H) 16/24/6 [in] | 40/60/16 [cm]

Weight 6lbs | 3kg

Capacity 100lbs | 50kg

Includes Detachable lid

Fits well in cages of this size:

CWL

CWXL



### POB 6 WITH DIVIDER KIT 2 LONG

PC: PB-60-40-06-2L

Size (W/D/H) 16/24/6 [in] | 40/60/16 [cm]

Weight 9lbs | 4kg

Capacity 100lbs | 50kg

Includes Detachable lid, removable dividers splitting the box into two long compartments.

Fits well in cages of this size:

CWL

CWXL



### POB 6 WITH DIVIDER KIT 4

PC: PB-60-40-06-4S

Size (W/D/H) 16/24/6 [in] | 40/60/16 [cm]

Weight 9lbs | 4kg

Capacity 100lbs | 50kg

Includes Detachable lid, removable dividers splitting the box into four compartments.

Fits well in cages of this size:

CWL

CWXL



### POB 6 WITH DIVIDER KIT 8

PC: PB-60-40-06-8S

Size (W/D/H) 16/24/6 [in] | 40/60/16 [cm]

Weight 10lbs | 4.5kg

Capacity 100lbs | 50kg

Includes Detachable lid, removable dividers splitting the box into eight compartments.

Fits well in cages of this size:

CWL

CWXL



### POB 6 WITH DIVIDER KIT 16

PC: PB-60-40-06-16

Size (W/D/H) 16/24/6 [in] | 40/60/16 [cm]

Weight 10lbs | 4.5kg

Capacity 100lbs | 50kg

Includes Detachable lid, removable dividers splitting the box into sixteen compartments.

Fits well in cages of this size:

CWL

CWXL



### POB 12

PC: PB-60-40-12-02

Size (W/D/H) 16/24/12 [in] | 40/60/29 [cm]

Weight 7lbs | 3.5g

Capacity 100lbs | 50kg

Includes Detachable lid

Fits well in cages of this size:

CWL

CWXL



### PADDED DIVIDERS FOR SERIES 12 BOXES

PC: AB-00-CW-12-PD, FOR POB 12 AND ALUMABOX CW 12

Size (W/D/H) 16/24/6 [in] | 40/60/16 [cm]

Weight 2lbs | 1kg


Capacity 100lbs | 50kg

Description Adjust spacing in the compartments by moving or removing some of the dividers.

Fits well in cages of this size:

CWL

CWXL



### ALUMABOX CW 12

PC: PB-60-40-06-02

Size (W/D/H) 16/24/12 [in] | 40/60/28 [cm]

Weight 10lbs | 4.5kg


Capacity 100lbs | 50kg

Includes Empty

Fits well in cages of this size:

CWL

CWXL



### ALUMABOX M 10

PC: AB-54-MD-10-01

Size (W/D/H) 14/35/10 [in] | 36/90/25 [cm]

Weight 13lbs | 5.7kg

Capacity 100lbs | 50kg

Includes Detachable lid

Fits well in cages of this size:

S

M

WORK STATION AND BOX-RACK

See next page for product codes for BOX-RACKS



**DESCRIPTION**

Our WORK STATION works as drawers, but you can easily pull the box out and bring it with you. The box racks are without moving parts, which makes them extremely durable in wet or dusty environments.



The WORK STATION has a BOX-RACK and a fold down or pull-out table.

The standard BOX-RACKs works with all the POB-6 boxes. BOX-RACK for POB-12 and ALUMABOX CW 12 are available on order.






The BOX-RACKS can also work without boxes to compartmentalize a section of the cage.

**SUITABLE FOR**

Small part storage.





ACCESSORIES - INSIDE THE CAGE		Product code for accessory which fit the cages below				Product code for accessory which fit the cages below, no value means it is not available							
		TACTICAL LOCKER				TACTICAL LOCKER FP	TACTICAL BASKET	THE ORIGINAL					
LOCKER SIZE: PRODUCT CODE		S	190	CWL	M	CWL-	CWXL	M	XL	S	M	L	XL
		SC-TL-SM-2D-02	SC-TL-90-2D-02	SC-TL-WL-2D-03	SC-TL-MD-2D-03	SC-CW-WW-3F-03	SC-CW-XL-3F-03	SC-BA-MD-HG-01	SC-BA-MD-GT-01	SC-ST-HF-3P-02	SC-CI-MD-3P-02	SC-CI-LG-4P-02	SC-CI-XL-4P-02
 <p><b>BOX-RACK</b></p> <p><b>Description</b> The BOX-RACK is a cassette for boxes allowing accesses to the bottom box without lifting the two above. Includes boxes.</p>				PR-RC-03-03-81		PR-RC-03-03-81	PR-RC-03-03-81						
 <p><b>WORK STATION</b></p> <p><b>Description</b> The BOX-RACK with work bench has a folddown table which can be used for a computer, or to put the boxes on while accessing the equipment. Includes boxes.</p>			BR-WB-03-03-81	BR-WB-04-03-81		BR-WB-03-03-81							
				The workbench slides out as apposed to folding down.	Comes with an extra column of boxes to the right for smaller boxes.	The workbench slides out as apposed to folding down.							
 <p><b>DIVIDER WALLS</b></p> <p><b>Description</b> Divide a TACTICAL BASKET vertically into two or more compartments.</p>								SC-BA-MD-00-22	SC-BA-MD-00-22				
 <p><b>ADDITIONAL SHELF</b></p> <p><b>Description</b> Add more shelves to your cage.</p>		SC-TL-SM-00-21	SC-TL-90-00-21	SC-TL-WL-00-21	SC-TL-MD-00-21	SC-CW-WW-00-21	SC-CW-XL-00-21						
 <p><b>HANGERS, back-to-front</b></p> <p><b>Description</b> Steel bars pointing towards the opening from the back. Perfect for vests and wetsuits, as well as cables.</p>		SC-TL-SM-00-26	SC-TL-90-00-26	SC-TL-WL-00-26	SC-TL-MD-00-26								



ACCESSORIES - OUTSIDE THE CAGE

Product code for accessories which fit the cages below

TACTICAL LOCKER

S

I90

CWL

M

SC-TL-SM-2D-02

SC-TL-90-2D-02

SC-TL-WL-2D-03

SC-TL-MD-2D-03

Product code for accessories which fit the cages below, no value means it is not available

TACTICAL LOCKER FP

TACTICAL BASKET

THE ORIGINAL

CWL-

CWXL

M

XL

S

M

L

XL

SC-CW-WW-3F-03

SC-CW-XL-3F-03

SC-BA-MD-HG-01

SC-BA-MD-GT-01

SC-ST-HF-3P-02

SC-CI-MD-3P-02

SC-CI-LG-4P-02

SC-CI-XL-4P-02



CONTAINER BLOCKING AND BRACING

**Description** Used to secure cages in a container to reduce wear or to enable users to walk through the center aisle of the container. Light and light bracket is separate.

Not necessary	SC-TL-90-00-60  Limits movement inside the container. Add one per two cages.	SC-CW-00-02-60 NSN: 8145-01-499-0720  To allow walking into the back of the container through an aisleway held open by the bracing system. Add one per cage.	Not necessary		SC-CW-00-02-60 NSN: 8145-01-499-0720  To allow walking into the back of the container through an aisleway held open by the bracing system. Add one per cage.	SC-CW-00-02-60 NSN: 8145-01-499-0720  To allow walking into the back of the container through an aisleway held open by the bracing system. Add one per cage.	Not necessary	Not necessary	Not necessary	Not necessary	Not necessary	Not necessary
---------------	--	--	---------------	--	--	--	---------------	---------------	---------------	---------------	---------------	---------------



COVERS

**Description** Add a cover to protect equipment inside the cage against the elements. Access strapping points through openings in the cover. Dove grey is standard color.

SC-TL-SM-CV-41	SC-TL-90-CV-41	SC-TL-WL-CV-41	SC-TL-MD-CV-41				SC-CI-MD-CV-41		SC-TL-SM-CV-41	SC-CI-MD-CV-41	SC-CI-LG-CV-41	SC-CI-XL-CV-41
----------------	----------------	----------------	----------------	--	--	--	----------------	--	----------------	----------------	----------------	----------------



UNIVERSAL WHEEL KIT

**Description** Four heavy-duty wheels which attach to the cage for increased mobility in the warehouse.

SC-AC-WH-GA-01	SC-AC-WH-GA-01	SC-AC-WH-GA-01	SC-AC-WH-GA-01			SC-AC-WH-GA-01	SC-AC-WH-GA-01	SC-AC-WH-GA-01	SC-AC-WH-GA-01	SC-AC-WH-GA-01	SC-AC-WH-GA-01	SC-AC-WH-GA-01	SC-AC-WH-GA-01
----------------	----------------	----------------	----------------	--	--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

SEVERAL NON-STOCK **SHARKCAGES AND ACCESSORY** AVAILABLE ON ORDER

SEE **WWW.SHARKCAGE.COM** FOR MORE INFORMATION



SC-TL-MD-2D-03



SC-TL-WL-QD-02



SC-TL-MO-2D-01



SC-BA-XX-2D-01



SC-CW-11-2D-03



SC-TL-LW-2D-02



PR-ML-01-00-01



SC-BA-MD-GD-03



SC-TL-MD-2D-03 WITH SC-HZ-55-04




# INTERMODAL

/ɪntə'məʊd(ə)l/  
adjective

“Intermodal freight transport involves the transportation of freight in an intermodal container or vehicle, using multiple modes of transportation (e.g., rail, ship, and truck), without any handling of the freight itself when changing modes.”

While there is an ideal platform for each SHARKCAGE, each cage still fits very well in several platforms. And the best thing is that there is no need to modify the container or air pallet, simply use standard shipping containers. This makes the SHARKCAGE the most flexible solution available for military logistics. On this page we illustrate how the SHARKCAGE TACTICAL LOCKER MEDIUM fits in different commonly used military platforms.







# APEX

## PROJECTS

---

5 MEDIA VILLAGE, LISCOMBE PARK, SOULBURY,  
LEIGHTON BUZZARD, BEDFORDSHIRE, LU7 0JL  
COMPANY REGISTERED IN ENGLAND & WALES  
NO. 06054193

[WWW.APEXPROJECTS.COM](http://WWW.APEXPROJECTS.COM)